Your name is:

Please circle your recitation:

1) M 2 2–131 P. Clifford 2) M 3 2–131 P. Clifford 3) T 11 2–132 T. de Piro 4) T 12 2-132 T. de Piro 5) T 1 2–131 T. Bohman 6)T 1 2-132T. Pietraho T 2 2–132 T. Pietraho T 2 T. Bohman 8) 2-131

Note: Make sure your exam has 5 problems.

Problem	Points possible
1	_ 20
2	_ 20
3	_ 20
4	_ 20
5	_ 20
Total	100

1 (20 pts) Suppose the  $3 \times 3$  matrix A has row 1 + row 2 = row 3.

- (a) Explain why  $Ax = \begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$  cannot have a solution.
- (b) Which right hand side vector  $b = \begin{bmatrix} b_1 \\ b_2 \\ b_3 \end{bmatrix}$  might allow a solution Ax = b? (Give the best answer you can, based on the information provided.)
- (c) Why is A not invertible?

## **2** (**20 pts**) Let

$$A = \left[ \begin{array}{ccc} 2 & 2 & 1 \\ 2 & 5 & 0 \\ 0 & 3 & 2 \end{array} \right].$$

- (a) Factor A as A=LU, where L is lower triangular and U is upper triangular.
- (b) Find a basis for the column space of A.
- (c) What is the rank of A?

3 (20 pts) Suppose

$$A = \left[ egin{array}{cccc} 1 & 0 & 0 \ 1 & 1 & 0 \ 7 - 1 & 2 \end{array} 
ight] \left[ egin{array}{ccccc} 1 & 0 & 1 & 4 & 5 \ 0 & 1 & 2 & 2 & 1 \ 0 & 0 & 0 & 1 & 1 \end{array} 
ight].$$

- (a) What is the rank of A?
- (b) Find a basis for the nullspace of A.
- (c) Find the complete solution to

$$Ax = \left[egin{array}{c} 10 \ 15 \ 85 \end{array}
ight].$$

4 (20 pts) Let M be the vector space of all  $2 \times 2$  matrices and let

$$A = \left[ egin{array}{cc} 1 & 0 \ 0 & 0 \end{array} 
ight] \quad ext{and} \quad B = \left[ egin{array}{cc} 0 & 0 \ 0 & -1 \end{array} 
ight].$$

- (a) Give a basis for M.
- (b) Describe a subspace of M which contains A and does not contain B.
- (c) True (give a reason) or False (give a counterexample): If a subspace of M contains A and B, it must contain the identity matrix I.
- (d) Describe a subspace of M which contains no diagonal matrices except for the zero matrix.

5 (20 pts) If  $A^2 = 0$ , the zero matrix, explain why A is not invertible.